

Certificate of Analysis

Produced: Jul 17, 2026

Sample: Iced Tea & Lemonade (Edible Liquid) • Client: Hop the Wave



Batch No.: 062626
Matrix: Edible Liquid
Density: 0.968 g/ml
Sample ID: ICC-260715-29-008
Collected on: Jul 15, 2026
Received on: Jul 15, 2026
Sample Size: 1 Units
Package Size: 369.99 g
Serving Size: 369.99 g

Tests Taken

Potency

Cannabinoid Overview

Total THC:	5.51 mg/srv
Total CBD:	5.48 mg/srv
Total Cannabinoids:	11.0 mg/srv
Sum of Cannabinoids:	11.0 mg/srv

POT-INST-005: POT-INST-005: Potency • Jul 17, 2026

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC			ND	N/A	ND	0.00106/0.00317	N/A	CBT			ND	N/A	ND0.000457/0.00160	N/A	
CBD	5.48	5.48	0.00148 ± 0.0000146 %		0.0143	0.000322/0.00160	N/A	Δ ⁸ -THC			ND	N/A	ND0.000258/0.00160	N/A	
CBDA			ND	N/A	ND	0.000771/0.00231	N/A					±			
CBDV			ND	N/A	ND	0.000256/0.00160	N/A	Δ ⁹ -THC	5.51	5.510	0.00149	0.0000155 %	0.01440	0.000427/0.00160	N/A
CBG			ND	N/A	ND	0.000364/0.00160	N/A								
CBGA			ND	N/A	ND	0.000568/0.00170	N/A	THCA			ND	N/A	ND0.000587/0.00176	N/A	
CBL			ND	N/A	ND	0.000252/0.00160	N/A	THCV			ND	N/A	ND0.000197/0.00160	N/A	
CBN			ND	N/A	ND	0.000364/0.00160	N/A					±			
								Total THC**	5.51	5.510	0.00149	0.0000155 %	0.0144		N/A
												±			
								Total CBD**	5.48	5.480	0.00148	0.0000146 %	0.0143		N/A
								Total Cannabinoids*	11.0	11.00	0.00297		0.0287		N/A

* Beyond scope of accreditation
** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



Signature of David Marelius

Signature of Erik Paulson

Certificate of Analysis

Produced: Jul 23, 2026

Sample: Iced Tea & Lemonade (Edible Liquid) • Client: Hop the Wave • Batch: Pass



Batch No.: 062626
Matrix: Edible Liquid
Sample ID: ICC-260715-29-007
Collected on: Jul 15, 2026
Received on: Jul 15, 2026
Sample Size: 1 Units
Package Size: 370.00 g
Serving Size: 370.00 g

Batch Result: Pass

Solvents	Pass	Mycotoxins	Pass
Metals	Pass	Pesticides	Pass
Microbial	Pass	Foreign	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Jul 17, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	N/A	0.166/0.506	Pass	Hexane	290	ND	N/A	0.0656/0.279	Pass
Acetone	5000	ND	N/A	17.0/50.9	Pass	Isopropyl alcohol	5000	ND	N/A	1.27/3.82	Pass
Acetonitrile	410	ND	N/A	0.119/0.357	Pass	Methanol	3000	ND	N/A	2.95/8.86	Pass
Benzene	1	ND	N/A	0.0209/0.0635	Pass	Methylene chloride	1	ND	N/A	0.126/0.725	Pass
Butane	5000	ND	N/A	0.965/4.82	Pass	Pentane	5000	ND	N/A	0.956/4.24	Pass
Chloroform	1	ND	N/A	0.0358/0.107	Pass	Propane	5000	ND	N/A	4.41/13.2	Pass
Ethanol	5004.23	284	± 4.23 µg/g	2.60/7.80	Pass	Toluene	890	ND	N/A	0.0875/0.859	Pass
Ethyl acetate	5000	ND	N/A	0.311/2.27	Pass	Trichloroethylene	1	ND	N/A	0.0179/0.144	Pass
Ethylene oxide	1	ND	N/A	0.152/0.575	Pass	o-Xylene		ND	N/A	0.100/0.852	N/A
Ethyl ether	5000	ND	N/A	1.18/3.53	Pass	p- and m-Xylene		ND	N/A	0.115/1.70	N/A
Heptane	5000	ND	N/A	0.683/2.84	Pass	Total xylenes	2170	ND		0.100/0.853	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



DM

Erik Paulson

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 16, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	N/A	0.00300/0.00900	Pass	Lead	0.5	< LOQ	N/A	0.00100/0.00400	Pass
Cadmium	0.5	ND	N/A	0.00100/0.00200	Pass	Mercury	3	ND	N/A	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS • Jul 16, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Antimony*		ND	0.00695/0.0208	N/A	Copper*		ND	0.0109/0.0326	N/A
Chromium*		ND	0.00926/0.0278	N/A	Nickel*		ND	0.00517/0.0155	N/A

* Beyond scope of accreditation

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jul 20, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-Listeria • Jul 22, 2026

Analyte	Limit	Amt	Pass/Fail
Listeria spp.*		ND	N/A

* Beyond scope of accreditation

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Salmonella • Jul 22, 2026

Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Jul 23, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Jul 23, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm-E. Coli • Jul 23, 2026

Analyte	Limit	Amt	Pass/Fail
Escherichia coli		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Jul 23, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.



DM

Erik Paulson

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	N/A	1.06/3.18	N/A	Aflatoxin G2		ND	N/A	0.719/2.45	N/A
Aflatoxin B2		ND	N/A	0.919/2.76	N/A	Aflatoxins	20	ND	N/A		Pass
Aflatoxin G1		ND	N/A	2.32/6.97	N/A	Ochratoxin A	20	ND	N/A	3.87/11.7	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	N/A	0.120/0.358	Pass	Cypermethrin	1	ND	N/A	0.0145/0.0435	Pass
Chlordane	Any amt	ND	N/A	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	N/A	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	N/A	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	N/A	0.0182/0.0545	Pass
Cyfluthrin	1	ND	N/A	0.0186/0.0558	Pass						

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	N/A	0.0500/0.100	Pass	Methiocarb	Any amt	ND	N/A	0.0156/0.0473	Pass
Abamectin Ba		ND	N/A	0.0330/0.0990	N/A	Methomyl	0.1	ND	N/A	0.0158/0.0479	Pass
Acephate	5	ND	N/A	0.0164/0.0497	Pass	Mevinphos	Any amt	ND	N/A	0.0139/0.0423	Pass
Acequinocyl	4	ND	N/A	0.0194/0.0587	Pass	Myclobutanil	9	ND	N/A	0.0180/0.0546	Pass
Acetamiprid	5	ND	N/A	0.0146/0.0442	Pass	Naled	0.5	ND	N/A	0.0170/0.0514	Pass
Aldicarb	Any amt	ND	N/A	0.0216/0.0654	Pass	Oxamyl	0.2	ND	N/A	0.0153/0.0465	Pass
Azoxystrobin	40	ND	N/A	0.00960/0.0291	Pass	Paclobutrazol	Any amt	ND	N/A	0.0132/0.0400	Pass
Bifenazate	5	ND	N/A	0.0115/0.0349	Pass	Permethrin	20	ND	N/A	0.00831/0.0300	Pass
Bifenthrin	0.5	ND	N/A	0.0130/0.0395	Pass	Permethrin cis		ND	N/A	0.0200/0.0300	N/A
Boscalid	10	ND	N/A	0.0197/0.0596	Pass	Permethrin trans		ND	N/A	0.0200/0.0300	N/A
Carbaryl	0.5	ND	N/A	0.0160/0.0486	Pass	Phosmet	0.2	ND	N/A	0.0125/0.0377	Pass
Carbofuran	Any amt	ND	N/A	0.00902/0.0300	Pass	Piperonylbutoxide	8	ND	N/A	0.00759/0.0300	Pass
Chlorantraniliprole	40	ND	N/A	0.0209/0.0632	Pass	Prallethrin	0.4	ND	N/A	0.0226/0.0685	Pass
Chlorpyrifos	Any amt	ND	N/A	0.0176/0.0534	Pass	Propiconazole	20	ND	N/A	0.0195/0.0590	Pass
Clofentezine	0.5	ND	N/A	0.0129/0.0389	Pass	Propoxur	Any amt	ND	N/A	0.0155/0.0471	Pass
Coumaphos	Any amt	ND	N/A	0.0185/0.0559	Pass	Pyrethrins	1	ND	N/A	0.00431/0.0300	Pass
Daminozide	Any amt	ND	N/A	0.0261/0.0791	Pass	Pyrethrins Cinerin I		ND	N/A		N/A
Diazinon	0.2	ND	N/A	0.00645/0.0300	Pass	Pyrethrins Cinerin II		ND	N/A		N/A
Dichlorvos	Any amt	ND	N/A	0.0223/0.0674	Pass	Pyrethrins Jasmolin I		ND	N/A		N/A
Dimethoate	Any amt	ND	N/A	0.0118/0.0356	Pass	Pyrethrins Jasmolin II		ND	N/A		N/A
Dimethomorph	20	ND	N/A	0.0137/0.0416	Pass	Pyrethrins Pyrethrin I		ND	N/A	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	N/A	0.0174/0.0528	Pass	Pyrethrins Pyrethrin II		ND	N/A	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	N/A	0.00849/0.0300	Pass	Pyridaben	3	ND	N/A	0.0115/0.0350	Pass
Etoxazole	1.5	ND	N/A	0.00783/0.0300	Pass	Spinetoram	3	ND	N/A	0.00639/0.0300	Pass
Fenhexamid	10	ND	N/A	0.0129/0.0392	Pass	Spinetoram J		ND	N/A	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	N/A	0.0144/0.0435	Pass	Spinetoram L		ND	N/A	0.00500/0.0100	N/A
Fenpyroximate	2	ND	N/A	0.00972/0.0300	Pass	Spinosad	3	ND	N/A	0.00410/0.0300	Pass
Fipronil	Any amt	ND	N/A	0.0148/0.0447	Pass	Spinosad A		ND	N/A	0.00500/0.0100	N/A
Flonicamid	2	ND	N/A	0.0268/0.0811	Pass	Spinosad D		ND	N/A	0.00500/0.0100	N/A
Fludioxonil	30	ND	N/A	0.0153/0.0464	Pass	Spiromesifen	12	ND	N/A	0.0137/0.0416	Pass
Hexythiazox	2	ND	N/A	0.0257/0.0778	Pass	Spirotetramat	13	ND	N/A	0.0134/0.0407	Pass
Imazalil	Any amt	ND	N/A	0.0156/0.0474	Pass	Spiroxamine	Any amt	ND	N/A	0.0106/0.0320	Pass
Imidacloprid	3	ND	N/A	0.0235/0.0711	Pass	Tebuconazole	2	ND	N/A	0.0144/0.0437	Pass
Kresoxim-methyl	1	ND	N/A	0.0125/0.0379	Pass	Thiacloprid	Any amt	ND	N/A	0.0139/0.0421	Pass
Malathion	5	ND	N/A	0.0117/0.0354	Pass	Thiamethoxam	4.5	ND	N/A	0.0181/0.0549	Pass
Metalaxyl	15	ND	N/A	0.0101/0.0306	Pass	Trifloxystrobin	30	ND	N/A	0.0102/0.0310	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



Signature of David Marelius

Signature of Erik Paulson



PJLA
Testing
Accreditation #95560
ISO17025:2017

PJLA Accredited

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS / PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS

Abamectin, Abamectin Ba, Acephate, Acequinocyl, Acetamiprid, Aldicarb, Azoxystrobin, Bifenazate, Bifenthrin, Boscalid, Captan, Carbaryl, Carbofuran, Chlorantraniliprole, Chlordane, Chlorfenapyr, Chlorpyrifos, Clofentezine, Coumaphos, Cyfluthrin, Cypermethrin, Daminozide, Diazinon, Dichlorvos, Dimethoate, Dimethomorph, Ethoprophos, Etofenprox, Etoxazole, Fenhexamid, Fenoxycarb, Fenpyroximate, Fipronil, Flonicamid, Fludioxonil, Hexythiazox, Imazalil, Imidacloprid, Kresoxim-methyl, MGK-264, MGK-264 I, MGK-264 II, Malathion, Metalaxyl, Methiocarb, Methomyl, Methyl parathion, Mevinphos, Myclobutanil, Naled, Oxamyl, Paclobutrazol, Pentachloronitrobenzene, Permethrin, Permethrin cis, Permethrin trans, Phosmet, Piperonylbutoxide, Prallethrin, Propiconazole, Propoxur, Pyrethrins, Pyrethrins Cinerin I, Pyrethrins Cinerin II, Pyrethrins Jasmolin I, Pyrethrins Jasmolin II, Pyrethrins Pyrethrin I, Pyrethrins Pyrethrin II, Pyridaben, Quintozene, Spinetoram, Spinetoram J, Spinetoram L, Spinosad, Spinosad A, Spinosad D, Spiromesifen, Spirotetramat, Spiroxamine, Spiroxamine A, Spiroxamine B, Tebuconazole, Thiacloprid, Thiamethoxam, Trifloxystrobin, alpha-Chlordane, gamma-Chlordane

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS

1,2-Dichloroethane, 2-Propanol, Acetone, Acetonitrile, Benzene, Butane, Chloroform, Dichloromethane, Ethanol, Ethyl acetate, Ethyl ether, Ethylene oxide, Heptane, Hexane, Isopropyl alcohol, Methanol, Methylene chloride, Pentane, Propane, Toluene, Total xylenes, Trichloroethene, Trichloroethylene, m-Xylene, o- and p-Xylene, o-Xylene, p- and m-Xylene, p-Xylene

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) / Petrifilm-Listeria / MICR-002: MICR-002: Petrifilm-Salmonella / MICR-002: MICR-002: Petrifilm-Aerobic / MICR-002: MICR-002: Petrifilm-Coliforms / Petrifilm-E. Coli / MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold
Aerobic Bacteria, Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, Aspergillus terreus, Coliforms, Escherichia coli, Salmonella spp., Shiga toxin-producing E. coli, Total Plate Count, Yeast & Mold

FOREIGN-001: FOREIGN-001: Filth and Foreign Material

Cinders, Dirt, Foreign Matter, Imbedded Foreign Material, Insect Fragments, Insect Fragments, Hair, Mammal Excrement, Mammal Excrement, Mold, Rodent Hair, Sand, Sand, Soil, Cinders, Dirt, Soil

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS

Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Aflatoxins, Ochratoxin A

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS / HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001:

Additional Heavy Metals Testing by ICP-MS
Arsenic, Cadmium, Lead, Mercury

