

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ICED TEA 042925 HTW (EDIBLE LIQUID) PRODUCED: MAY 07, 2025

CLIENT: 1820 BREWING COMPANY BATCH: PASS



MATRIX: EDIBLE LIQUID ¹
 DENSITY: 1.00005 g/ml ²
 SAMPLE ID: NAL-250505-014
 COLLECTED ON: MAY 05, 2025
 RECEIVED ON: MAY 05, 2025
 SAMPLE SIZE: 355 ML ¹
 SAMPLED BY: 1820
 RECEIVED BY: KENDALL ERICKSEN
 SERVING SIZE: 355 ML ¹

CANNABINOID OVERVIEW

CBD: 5.29 mg/srv
 Δ⁹-THC: 4.58 mg/srv
 TOTAL CANNABINOIDS: 9.87 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAY 06, 2025 // ANALYSIS: MAY 07, 2025

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.000750/0.00150	N/A	Δ ⁸ -THCA		ND	ND	0.00150/0.00150	N/A
CBCA		ND	ND	0.000750/0.00150	N/A	Δ ⁹ -THC	0.00129	0.0129	0.0129	0.000750/0.00150	N/A
CBD	0.00149 %	0.0149 mg/ml	0.000750/0.00150	N/A	N/A	Δ ¹⁰ -THC		ND	ND	0.000750/0.00150	N/A
CBDA		ND	ND	0.000750/0.00150	N/A	EXO-THC		ND	ND	0.00150/0.00150	N/A
CBDV		ND	ND	0.000750/0.00150	N/A	THCA		ND	ND	0.00150/0.00150	N/A
CBDVA		ND	ND	0.000750/0.00150	N/A	THCV		ND	ND	0.000750/0.00150	N/A
CBG		ND	ND	0.000750/0.00150	N/A	THCVA		ND	ND	0.000750/0.00150	N/A
CBGA		ND	ND	0.000750/0.00150	N/A	TOTAL THC**	0.00129	0.0129	0.0129		N/A
CBL		ND	ND	0.00150/0.00150	N/A			%	mg/ml		
CBLA		ND	ND	0.000750/0.00150	N/A	TOTAL CBD**	0.00149	0.0149	0.0149		N/A
CBN		ND	ND	0.000750/0.00150	N/A			%	mg/ml		
CBNA		ND	ND	0.000750/0.00150	N/A	CBD/SRV		5.29 mg			N/A
Δ ⁸ -THC		ND	ND	0.00150/0.00150	N/A	Δ ⁹ -THC/SRV		4.58 mg			N/A
						TOTAL		4.58 mg			N/A
						THC/SRV**					
						TOTAL		5.29 mg			N/A
						CBD/SRV**					

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 MAY 07, 2025

Certificate of Analysis

Produced: May 15, 2025

Sample: Iced Tea (Edible Liquid) • Client: Hop the Wave • Batch: Pass



Batch No.: 042925HTW

Matrix: Edible Liquid

Density: 0.99248 g/ml

Sample ID: ICC-250509-11-004

Collected on: May 09, 2025

Received on: May 09, 2025

Sample Size: 1 Units

Received By: Stephanie Paule

Batch Result: Pass

Solvents	Pass	Mycotoxins	Pass
Metals	Pass	Pesticides	Pass
Microbial	Pass	Foreign	Pass

infinite**CAL**

RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • May 12, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.508	Pass	Hexane	290	ND	0.0658/0.280	Pass
Acetone	5000	ND	17.0/51.1	Pass	Isopropyl alcohol	5000	ND	1.28/3.83	Pass
Acetonitrile	410	ND	0.120/0.358	Pass	Methanol	3000	ND	2.96/8.89	Pass
Benzene	1	ND	0.0209/0.0637	Pass	Methylene chloride	1	ND	0.127/0.727	Pass
Butane	5000	ND	0.968/4.84	Pass	Pentane	5000	ND	0.959/4.26	Pass
Chloroform	1	ND	0.0359/0.108	Pass	Propane	5000	ND	4.42/13.3	Pass
Ethanol	5000	37.6	2.61/7.82	Pass	Toluene	890	ND	0.0878/0.862	Pass
Ethyl acetate	5000	ND	0.312/2.28	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.577	Pass	o-Xylene		ND	0.100/0.855	Pass
Ethyl ether	5000	ND	1.18/3.54	Pass	p- and m-Xylene		ND	0.115/1.71	Pass
Heptane	5000	ND	0.685/2.85	Pass	Total xylenes	2170	ND		Pass

Compliance requirements for this test are taken from California Cannabis regulations.



HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • May 12, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • May 12, 2025

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Salmonella spp.	ND	Pass	Shiga toxin-producing E. coli	ND	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

Petrifilm-Listeria • May 13, 2025

Analyte	Amt	Pass/Fail
Listeria spp.	ND	N/A

Compliance requirements for this test are taken from California Cannabis regulations.

MICR-002: MICR-002: Petrifilm-Salmonella • May 14, 2025

Analyte	Amt	Pass/Fail
Salmonella spp.	ND	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • May 14, 2025

Analyte	Amt	Pass/Fail
Yeast & Mold	ND	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • May 14, 2025

Analyte	Amt	Pass/Fail
Aerobic Bacteria	ND	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • May 14, 2025

Analyte	Amt	Pass/Fail
Coliforms	ND	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

Petrifilm-E. Coli • May 14, 2025

Analyte	Amt	Pass/Fail
Escherichia coli	ND	N/A

Compliance requirements for this test are taken from California Cannabis regulations.

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • May 15, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	Pass
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

Compliance requirements for this test are taken from California Cannabis regulations.



DM

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • May 13, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.0081/0.0243	Pass
Chlorfenvapir	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

Compliance requirements for this test are taken from California Cannabis regulations.

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • May 15, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Abamectin Ba		ND	0.0330/0.0990	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Permethrin cis		ND	0.0200/0.0300	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	Pass
Etozazole	1.5	ND	0.00783/0.0300	Pass	Spinetoram L		ND	0.00500/0.0100	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spinosad A		ND	0.00500/0.0100	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Spinosad D		ND	0.00500/0.0100	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Imazalil	Any amt	ND	0.0156/0.0474	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass

Compliance requirements for this test are taken from California Cannabis regulations.



[Signature]