

## Certificate of Analysis

Produced: Jun 05, 2026

Sample: Peach Iced Tea (Edible Liquid) • Client: Hop The Wave, 38 Evergreen Drive, Portland, ME FDA License #: 15349051600



Batch No.: 052626HTW  
Matrix: Edible Liquid  
Density: 0.972 g/ml  
Sample ID: ICC-260603-09-004  
Collected on: Jun 03, 2026  
Received on: Jun 03, 2026  
Sample Size: 1 Units  
Package Size: 358.09 g

### Tests Taken

#### Potency

### Cannabinoid Overview

Total THC: 10.1 mg/pkg  
Total CBD: 0.000 mg/pkg  
Total Cannabinoids: 10.1 mg/pkg  
Sum of Cannabinoids: 10.1 mg/pkg

### POT-INST-005: POT-INST-005: Potency • Jun 05, 2026

| Analyte | Amt (mg/pkg) | Amt (%) | Uncertainty | Amt (mg/ml) | LOD/LOQ (mg/ml)  | Pass/Fail | Analyte             | Amt (mg/pkg) | Amt (%)               | Uncertainty | Amt (mg/ml) | LOD/LOQ (mg/ml)  | Pass/Fail |
|---------|--------------|---------|-------------|-------------|------------------|-----------|---------------------|--------------|-----------------------|-------------|-------------|------------------|-----------|
| CBC     |              | ND      | N/A         | ND          | 0.00107/0.00320  | N/A       | CBT                 |              | ND                    | N/A         | ND          | 0.000463/0.00161 | N/A       |
| CBD     |              | ND      | N/A         | ND          | 0.000327/0.00161 | N/A       | $\Delta^8$ -THC     |              | ND                    | N/A         | ND          | 0.000261/0.00161 | N/A       |
| CBDA    |              | ND      | N/A         | ND          | 0.000781/0.00234 | N/A       | $\Delta^9$ -THC     | 10.1         | 0.00281 ± 0.0000293 % |             | 0.0273      | 0.000432/0.00161 | N/A       |
| CBDV    |              | ND      | N/A         | ND          | 0.000259/0.00161 | N/A       | THCA                |              | ND                    | N/A         | ND          | 0.000594/0.00178 | N/A       |
| CBG     |              | ND      | N/A         | ND          | 0.000368/0.00161 | N/A       | THCV                |              | ND                    | N/A         | ND          | 0.000199/0.00161 | N/A       |
| CBGA    |              | ND      | N/A         | ND          | 0.000575/0.00173 | N/A       | Total THC**         | 10.1         | 0.00281 ± 0.0000293 % |             | 0.0273      |                  | N/A       |
| CBL     |              | ND      | N/A         | ND          | 0.000255/0.00161 | N/A       | Total CBD**         |              | ND                    |             | ND          |                  | N/A       |
| CBN     |              | ND      | N/A         | ND          | 0.000368/0.00161 | N/A       | Total Cannabinoids* | 10.1         | 0.00281               |             | 0.0273      |                  | N/A       |

\* Beyond scope of accreditation

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



## Certificate of Analysis

Produced: Jun 10, 2026

Sample: Peach Iced Tea (Edible Liquid) • Client: Hop the Wave • Batch: Pass



Batch No.: 052626HTW  
Matrix: Edible Liquid  
Sample ID: ICC-260603-09-003  
Collected on: Jun 03, 2026  
Received on: Jun 03, 2026  
Sample Size: 1 Units  
Package Size: 363.63 g

Batch Result: Pass

|           |      |            |      |
|-----------|------|------------|------|
| Solvents  | Pass | Mycotoxins | Pass |
| Metals    | Pass | Pesticides | Pass |
| Microbial | Pass | Foreign    | Pass |

infinite**CAL**

## RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Jun 04, 2026

| Analyte            | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|-------------|----------------|-----------|--------------------|--------------|------------|-------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | N/A         | 0.164/0.501    | Pass      | Hexane             | 290          | ND         | N/A         | 0.0650/0.277   | Pass      |
| Acetone            | 5000         | ND         | N/A         | 16.8/50.5      | Pass      | Isopropyl alcohol  | 5000         | ND         | N/A         | 1.26/3.78      | Pass      |
| Acetonitrile       | 410          | ND         | N/A         | 0.118/0.353    | Pass      | Methanol           | 3000         | ND         | N/A         | 2.93/8.78      | Pass      |
| Benzene            | 1            | ND         | N/A         | 0.0207/0.0629  | Pass      | Methylene chloride | 1            | ND         | N/A         | 0.125/0.718    | Pass      |
| Butane             | 5000         | ND         | N/A         | 0.956/4.77     | Pass      | Pentane            | 5000         | ND         | N/A         | 0.947/4.21     | Pass      |
| Chloroform         | 1            | ND         | N/A         | 0.0354/0.106   | Pass      | Propane            | 5000         | ND         | N/A         | 4.37/13.1      | Pass      |
| Ethanol            | 5016.5       | 1110       | ± 16.5 µg/g | 2.57/7.72      | Pass      | Toluene            | 890          | ND         | N/A         | 0.0866/0.851   | Pass      |
| Ethyl acetate      | 5000         | ND         | N/A         | 0.308/2.25     | Pass      | Trichloroethylene  | 1            | ND         | N/A         | 0.0177/0.143   | Pass      |
| Ethylene oxide     | 1            | ND         | N/A         | 0.151/0.570    | Pass      | o-Xylene           |              | ND         | N/A         | 0.0991/0.844   | N/A       |
| Ethyl ether        | 5000         | ND         | N/A         | 1.16/3.49      | Pass      | p- and m-Xylene    |              | ND         | N/A         | 0.114/1.69     | N/A       |
| Heptane            | 5000         | ND         | N/A         | 0.676/2.81     | Pass      | Total xylenes      | 2170         | ND         |             | 0.0992/0.845   | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



## HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jun 04, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-------------|-----------------|-----------|---------|--------------|------------|-------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | N/A         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | ND         | N/A         | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | N/A         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | N/A         | 0.00500/0.0140  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS • Jun 04, 2026

| Analyte   | Limit | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|-----------|-------|------------|----------------|-----------|---------|-------|------------|----------------|-----------|
| Antimony* |       | ND         | 0.00695/0.0208 | N/A       | Copper* |       | 0.0355     | 0.0109/0.0326  | N/A       |
| Chromium* |       | ND         | 0.00926/0.0278 | N/A       | Nickel* |       | 0.0439     | 0.00517/0.0155 | N/A       |

\* Beyond scope of accreditation

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## MICR-002: MICR-002: Petrifilm-Aerobic • Jun 04, 2026

| Analyte          | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|------------------|---------------|-------------|-----------|
| Aerobic Bacteria | 10000         | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

## MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jun 04, 2026

| Analyte         | Limit             | Amt | Pass/Fail | Analyte                       | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      | Shiga toxin-producing E. coli | Any amt in 1 gram | ND  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## Petrifilm-Listeria • Jun 05, 2026

| Analyte        | Limit | Amt | Pass/Fail |
|----------------|-------|-----|-----------|
| Listeria spp.* |       | ND  | N/A       |

\* Beyond scope of accreditation

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## Petrifilm-E. Coli • Jun 05, 2026

| Analyte          | Limit | Amt | Pass/Fail |
|------------------|-------|-----|-----------|
| Escherichia coli |       | ND  | N/A       |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## MICR-002: MICR-002: Petrifilm-Coliforms • Jun 05, 2026

| Analyte   | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|-----------|---------------|-------------|-----------|
| Coliforms | 100           | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

## MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Jun 05, 2026

| Analyte      | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|--------------|---------------|-------------|-----------|
| Yeast & Mold | 1000          | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

## MICR-002: MICR-002: Petrifilm-Salmonella • Jun 10, 2026

| Analyte         | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



*Signature*

*Signature*

# PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jun 05, 2026

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | Uncertainty | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | Uncertainty | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-------------|-----------------|-----------|--------------|---------------|-------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | N/A         | 1.11/3.33       | N/A       | Aflatoxin G2 |               | ND          | N/A         | 0.753/2.57      | N/A       |
| Aflatoxin B2 |               | ND          | N/A         | 0.962/2.89      | N/A       | Aflatoxins   | 20            | ND          |             |                 | Pass      |
| Aflatoxin G1 |               | ND          | N/A         | 2.43/7.30       | N/A       | Ochratoxin A | 20            | ND          | N/A         | 3.87/11.7       | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

# PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jun 08, 2026

| Analyte      | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|-------------|----------------|-----------|-------------------------|--------------|------------|-------------|----------------|-----------|
| Captan       | 5            | ND         | N/A         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | N/A         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | N/A         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | N/A         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | N/A         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | N/A         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | N/A         | 0.0186/0.0558  | Pass      |                         |              |            |             |                |           |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

# PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jun 05, 2026

| Analyte             | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|-------------|----------------|-----------|-------------------------|--------------|------------|-------------|----------------|-----------|
| Abamectin           | 0.3          | ND         |             | 0.0500/0.100   | Pass      | Methiocarb              | Any amt      | ND         | N/A         | 0.0156/0.0473  | Pass      |
| Abamectin Ba        |              | ND         | N/A         | 0.0330/0.0990  | N/A       | Methomyl                | 0.1          | ND         | N/A         | 0.0158/0.0479  | Pass      |
| Acephate            | 5            | ND         | N/A         | 0.0164/0.0497  | Pass      | Mevinphos               | Any amt      | ND         | N/A         | 0.0139/0.0423  | Pass      |
| Acequinocyl         | 4            | ND         | N/A         | 0.0194/0.0587  | Pass      | Myclobutanil            | 9            | ND         | N/A         | 0.0180/0.0546  | Pass      |
| Acetamiprid         | 5            | ND         | N/A         | 0.0146/0.0442  | Pass      | Naled                   | 0.5          | ND         | N/A         | 0.0170/0.0514  | Pass      |
| Aldicarb            | Any amt      | ND         | N/A         | 0.0216/0.0654  | Pass      | Oxamyl                  | 0.2          | ND         | N/A         | 0.0153/0.0465  | Pass      |
| Azoxystrobin        | 40           | ND         | N/A         | 0.00960/0.0291 | Pass      | Paclobutrazol           | Any amt      | ND         | N/A         | 0.0132/0.0400  | Pass      |
| Bifenazate          | 5            | ND         | N/A         | 0.0115/0.0349  | Pass      | Permethrin              | 20           | ND         |             | 0.00831/0.0300 | Pass      |
| Bifenthrin          | 0.5          | ND         | N/A         | 0.0130/0.0395  | Pass      | Permethrin cis          |              | ND         | N/A         | 0.0200/0.0300  | N/A       |
| Boscalid            | 10           | ND         | N/A         | 0.0197/0.0596  | Pass      | Permethrin trans        |              | ND         | N/A         | 0.0200/0.0300  | N/A       |
| Carbaryl            | 0.5          | ND         | N/A         | 0.0160/0.0486  | Pass      | Phosmet                 | 0.2          | ND         | N/A         | 0.0125/0.0377  | Pass      |
| Carbofuran          | Any amt      | ND         | N/A         | 0.00902/0.0300 | Pass      | Piperonylbutoxide       | 8            | ND         | N/A         | 0.00759/0.0300 | Pass      |
| Chlorantraniliprole | 40           | ND         | N/A         | 0.0209/0.0632  | Pass      | Prallethrin             | 0.4          | ND         | N/A         | 0.0226/0.0685  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | N/A         | 0.0176/0.0534  | Pass      | Propiconazole           | 20           | ND         | N/A         | 0.0195/0.0590  | Pass      |
| Clofentezine        | 0.5          | ND         | N/A         | 0.0129/0.0389  | Pass      | Propoxur                | Any amt      | ND         | N/A         | 0.0155/0.0471  | Pass      |
| Coumaphos           | Any amt      | ND         | N/A         | 0.0185/0.0559  | Pass      | Pyrethrins              | 1            | ND         |             | 0.00431/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | N/A         | 0.0261/0.0791  | Pass      | Pyrethrins Cinerin I    |              | ND         | N/A         |                | N/A       |
| Diazinon            | 0.2          | ND         | N/A         | 0.00645/0.0300 | Pass      | Pyrethrins Cinerin II   |              | ND         | N/A         |                | N/A       |
| Dichlorvos          | Any amt      | ND         | N/A         | 0.0223/0.0674  | Pass      | Pyrethrins Jasmolin I   |              | ND         | N/A         |                | N/A       |
| Dimethoate          | Any amt      | ND         | N/A         | 0.0118/0.0356  | Pass      | Pyrethrins Jasmolin II  |              | ND         | N/A         |                | N/A       |
| Dimethomorph        | 20           | ND         | N/A         | 0.0137/0.0416  | Pass      | Pyrethrins Pyrethrin I  |              | ND         | N/A         | 0.0100/0.0450  | N/A       |
| Ethoprophos         | Any amt      | ND         | N/A         | 0.0174/0.0528  | Pass      | Pyrethrins Pyrethrin II |              | ND         | N/A         | 0.0100/0.0300  | N/A       |
| Etofenprox          | Any amt      | ND         | N/A         | 0.00849/0.0300 | Pass      | Pyridaben               | 3            | ND         | N/A         | 0.0115/0.0350  | Pass      |
| Etiozazole          | 1.5          | ND         | N/A         | 0.00783/0.0300 | Pass      | Spinetoram              | 3            | ND         |             | 0.00639/0.0300 | Pass      |
| Fenhexamid          | 10           | ND         | N/A         | 0.0129/0.0392  | Pass      | Spinetoram J            |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Fenoxycarb          | Any amt      | ND         | N/A         | 0.0144/0.0435  | Pass      | Spinetoram L            |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Fenpyroximate       | 2            | ND         | N/A         | 0.00972/0.0300 | Pass      | Spinosad                | 3            | ND         |             | 0.00410/0.0300 | Pass      |
| Fipronil            | Any amt      | ND         | N/A         | 0.0148/0.0447  | Pass      | Spinosad A              |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Flonicamid          | 2            | ND         | N/A         | 0.0268/0.0811  | Pass      | Spinosad D              |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Fludioxonil         | 30           | ND         | N/A         | 0.0153/0.0464  | Pass      | Spiromesifen            | 12           | ND         | N/A         | 0.0137/0.0416  | Pass      |
| Hexythiazox         | 2            | ND         | N/A         | 0.0257/0.0778  | Pass      | Spirotetramat           | 13           | ND         | N/A         | 0.0134/0.0407  | Pass      |
| Imazalil            | Any amt      | ND         | N/A         | 0.0156/0.0474  | Pass      | Spiroxamine             | Any amt      | ND         | N/A         | 0.0106/0.0320  | Pass      |
| Imidacloprid        | 3            | ND         | N/A         | 0.0235/0.0711  | Pass      | Tebuconazole            | 2            | ND         | N/A         | 0.0144/0.0437  | Pass      |
| Kresoxim-methyl     | 1            | ND         | N/A         | 0.0125/0.0379  | Pass      | Thiacloprid             | Any amt      | ND         | N/A         | 0.0139/0.0421  | Pass      |
| Malathion           | 5            | ND         | N/A         | 0.0117/0.0354  | Pass      | Thiamethoxam            | 4.5          | ND         | N/A         | 0.0181/0.0549  | Pass      |
| Metalaxyl           | 15           | ND         | N/A         | 0.0101/0.0306  | Pass      | Trifloxystrobin         | 30           | ND         | N/A         | 0.0102/0.0310  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



*DM*

*Erik Paulson*



# **PJLA Accredited**

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS / PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS**

Abamectin, Abamectin Ba, Acephate, Acequinocyl, Acetamiprid, Aldicarb, Azoxystrobin, Bifenazate, Bifenthrin, Boscalid, Captan, Carbaryl, Carbofuran, Chlorantraniliprole, Chlordane, Chlorfenapyr, Chlorpyrifos, Clofentezine, Coumaphos, Cyfluthrin, Cypermethrin, Daminozide, Diazinon, Dichlorvos, Dimethoate, Dimethomorph, Ethoprophos, Etofenprox, Etoxazole, Fenhexamid, Fenoxycarb, Fenpyroximate, Fipronil, Flonicamid, Fludioxonil, Hexythiazox, Imazalil, Imidacloprid, Kresoxim-methyl, MGK-264, MGK-264 I, MGK-264 II, Malathion, Metalaxyl, Methiocarb, Methomyl, Methyl parathion, Mevinphos, Myclobutanil, Naled, Oxamyl, Paclobutrazol, Pentachloronitrobenzene, Permethrin, Permethrin cis, Permethrin trans, Phosmet, Piperonylbutoxide, Prallethrin, Propiconazole, Propoxur, Pyrethrins, Pyrethrins Cinerin I, Pyrethrins Cinerin II, Pyrethrins Jasmolin I, Pyrethrins Jasmolin II, Pyrethrins Pyrethrin I, Pyrethrins Pyrethrin II, Pyridaben, Quintozene, Spinetoram, Spinetoram J, Spinetoram L, Spinosad, Spinosad A, Spinosad D, Spiromesifen, Spirotetramat, Spiroxamine, Spiroxamine A, Spiroxamine B, Tebuconazole, Thiacloprid, Thiamethoxam, Trifloxystrobin, alpha-Chlordane, gamma-Chlordane

**RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS**

1,2-Dichloroethane, 2-Propanol, Acetone, Acetonitrile, Benzene, Butane, Chloroform, Dichloromethane, Ethanol, Ethyl acetate, Ethyl ether, Ethylene oxide, Heptane, Hexane, Isopropyl alcohol, Methanol, Methylene chloride, Pentane, Propane, Toluene, Total xylenes, Trichloroethene, Trichloroethylene, m-Xylene, o- and p-Xylene, o-Xylene, p- and m-Xylene, p-Xylene

**MICR-002: MICR-002: Petrifilm-Aerobic / MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) / Petrifilm-Listeria / Petrifilm-E. Coli / MICR-002: MICR-002: Petrifilm-Coliforms / MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold / MICR-002: MICR-002: Petrifilm-Salmonella**  
Aerobic Bacteria, Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, Aspergillus terreus, Coliforms, Escherichia coli, Salmonella spp., Shiga toxin-producing E. coli, Total Plate Count, Yeast & Mold

**FOREIGN-001: FOREIGN-001: Filth and Foreign Material**

Cinders, Dirt, Foreign Matter, Imbedded Foreign Material, Insect Fragments, Insect Fragments, Hair, Mammal Excrement, Mammal Excrement, Mold, Rodent Hair, Sand, Sand, Soil, Cinders, Dirt, Soil

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS**

Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Aflatoxins, Ochratoxin A

**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS / HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001:**

**Additional Heavy Metals Testing by ICP-MS**

Arsenic, Cadmium, Lead, Mercury



*DM*

*Erik Paulson*

June 10, 2026

**HOP THE WAVE**

38 Evergreen Drive  
Portland, ME 04103  
15349051600

Order No. 592002  
Sample No. 1417988

## SAMPLE INFORMATION

Description Peach Iced Tea 10mg  
Lot Number 052626HTW  
Category (Type) Non-Inhalable Edible (Beverage)  
Received June 08, 2026

## ANALYTICAL RESULTS

Analysis Chlormequat Chloride  Pass  
Instrument LC-MS/MS  
Method MF-CHEM-13  
Analysis Date June 08, 2026 to June 10, 2026

| Analyte              | LOD / LOQ (ppm) | Findings (ppm) | Limit | Status |
|----------------------|-----------------|----------------|-------|--------|
| Chlormequat Chloride | 0.03/0.1        | ND             | 0.1   | Pass   |

Reported by  
**Anresco, Inc.**

NT = Not Tested  
ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

  
Samantha Lee  
Analyst I



June 10, 2026

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

June 10, 2026

**HOP THE WAVE**

38 Evergreen Drive  
Portland, ME 04103  
15349051600

Order No. 592002  
Sample No. 1417988

## SAMPLE INFORMATION

Description Peach Iced Tea 10mg  
Lot Number 052626HTW  
Category (Type) Non-Inhalable Edible (Beverage)  
Received June 08, 2026

## ANALYTICAL RESULTS

Analysis 1,1-Dichloroethene  
Instrument Gas Chromatography Mass Spectrometry (GC/MS)  
Method USP OVI<467>  
Analysis Date June 08, 2026 to June 10, 2026

| Analyte            | LOD / LOQ (ppm) | Findings (ppm) |
|--------------------|-----------------|----------------|
| 1,1-Dichloroethene | 2/4             | ND             |

Reported by  
**Anresco, Inc.**

NT = Not Tested  
ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

  
Jordean Varga  
Analyst III

June 10, 2026

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".