

Certificate of Analysis

Produced: Jul 29, 2025

Sample: Raspberry Iced Tea (Edible Liquid) • Client: Hop the Wave, 38 Evergreen Drive, Portland, ME 04103

FDA Registration Number: 15349051600



Batch No.: 071025-2

Matrix: Edible Liquid

Density: 1.00476 g/ml

Sample ID: ICC-250728-26-001

Collected on: Jul 28, 2025

Received on: Jul 28, 2025

Sample Size: 1 Units

Package Size: 365.42 g

Serving Size: 182.71 g

Tests Taken

Potency

Cannabinoid Overview

Total THC:4.60 mg/srv

Total CBD:0.000 mg/srv

Sum of Cannabinoids:4.60 mg/srv

POT-INST-005: POT-INST-005: Potency

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC			ND	ND	0.00111/0.00332	N/A	CBT			ND	ND	0.000478/0.00167	N/A
CBD			ND	ND	0.000338/0.00167	N/A	Δ ⁸ -THC			ND	ND	0.000270/0.00167	N/A
CBDA			ND	ND	0.000808/0.00242	N/A	Δ ⁹ -THC	4.60	9.21	0.00252	0.025	0.000446/0.00167	N/A
CBDV			ND	ND	0.000267/0.00167	N/A	THCA			ND	ND	0.000614/0.00184	N/A
CBG	< 1 mg/ml	< 1 mg/ml			0.000381/0.00167	N/A	THCV			ND	ND	0.000207/0.00167	N/A
CBGA	ND	ND			0.000595/0.00179	N/A	Total THC**	4.60	9.21	0.00252	0.025		N/A
CBL	ND	ND			0.000263/0.00167	N/A	Total CBD**			ND	ND		N/A
CBN	ND	ND			0.000381/0.00167	N/A	Total Cannabinoids**	4.60	9.21	0.00252	0.025		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

CUSTOMER:

Hop The Wave
38 Evergreen Drive
Portland, ME 04103
15349051600



SAMPLE INFORMATION

Sample No.: 1353115
Product Name: Raspberry Iced Tea 10mg
Matrix: Edible (Beverage)
Lot #: 061925-3
PO #: FL102025-11

Date Collected: 10/23/2025
Date Received: 10/22/2025
Date Reported: 10/28/2025

TEST SUMMARY

Other Analyses:

✓ Tested

Chlormequat Chloride:

✓ Pass

Other Analyses

10/29/2025

Analyte

1,1-Dichloroethene

LOD / LOQ (ppm)

2/4

Findings (ppm)

ND

Chlormequat Chloride ✓ Pass

10/28/2025

Method: MF-CHEM-13

Instrument: LC-MS/MS

Analyte

Chlormequat Chloride

LOD / LOQ (ppm)

0.03/0.1

Findings (ppm)

ND

Limit

0.1

Status

Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by




Vu Lam
Lab Co Director



Scan to verify

Certificate of Analysis

Produced: Jul 31, 2025

Sample: Raspberry Iced Tea (Edible Liquid) • Client: Hop the Wave • Batch: **Pass**

Batch No.: 071025-2
Matrix: Edible Liquid
Sample ID: ICC-250728-26-004
Collected on: Jul 28, 2025
Received on: Jul 28, 2025
Sample Size: 1 Units
Package Size: 367.51 g
Serving Size: 183.76 g

Batch Result: **Pass**

Solvents	Pass	Mycotoxins	Pass
Metals	Pass	Pesticides	Pass
Microbial	Pass	Foreign	Pass

infinite**CAL**

RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Jul 29, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.509	Pass	Hexane	290	ND	0.0660/0.281	Pass
Acetone	5000	ND	17.1/51.2	Pass	Isopropyl alcohol	5000	ND	1.28/3.84	Pass
Acetonitrile	410	ND	0.120/0.359	Pass	Methanol	3000	ND	2.97/8.92	Pass
Benzene	1	ND	0.0210/0.0639	Pass	Methylene chloride	1	ND	0.127/0.729	Pass
Butane	5000	ND	0.971/4.85	Pass	Pentane	5000	ND	0.962/4.27	Pass
Chloroform	1	ND	0.0360/0.108	Pass	Propane	5000	ND	4.43/13.3	Pass
Ethanol	5000	518	2.61/7.84	Pass	Toluene	890	ND	0.0880/0.864	Pass
Ethyl acetate	5000	2.92	0.313/2.29	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.579	Pass	o-Xylene		ND	0.101/0.857	N/A
Ethyl ether	5000	ND	1.18/3.55	Pass	p- and m-Xylene		ND	0.115/1.71	N/A
Heptane	5000	ND	0.687/2.86	Pass	Total xylenes	2170	ND		Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Jul 29, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Jul 29, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-Listeria • Jul 30, 2025

Analyte	Limit	Amt (CFU/g)	Pass/Fail
Listeria spp.		ND	N/A

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Jul 31, 2025

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Jul 31, 2025

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm-E. Coli • Jul 31, 2025

Analyte	Limit	Amt (CFU/g)	Pass/Fail
Escherichia coli		ND	N/A

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Jul 31, 2025

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-002: MICR-002: Petrifilm-Salmonella • Jul 31, 2025

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Jul 30, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Jul 30, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Jul 30, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Pyrethrins Jasmolin I		ND		N/A
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Flonicamid	2	ND	0.0268/0.0811	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Imazalil	Any amt	ND	0.0156/0.0474	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Malathion	5	ND	0.0117/0.0354	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



DM