

May 06, 2026

**HOP THE WAVE**

38 Evergreen Drive  
Portland, ME 04103  
15349051600

Order No. 590195  
Sample No. 1407556

## SAMPLE INFORMATION

Description Raspberry Iced Tea 10mg  
Lot Number 042226-2HTW  
Category (Type) Non-Inhalable Edible (Beverage)  
Received May 04, 2026

## ANALYTICAL RESULTS

Analysis Chlormequat Chloride  Pass  
Instrument LC-MS/MS  
Method MF-CHEM-13  
Analysis Date May 04, 2026 to May 06, 2026

| Analyte              | LOD / LOQ (ppm) | Findings (ppm) | Limit | Status |
|----------------------|-----------------|----------------|-------|--------|
| Chlormequat Chloride | 0.03/0.1        | ND             | 0.1   | Pass   |

Reported by  
**Anresco, Inc.**

NT = Not Tested  
ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

  
Khoa Nguyen  
Analyst III



May 06, 2026

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

May 06, 2026

**HOP THE WAVE**

38 Evergreen Drive  
Portland, ME 04103  
15349051600

Order No. 590195  
Sample No. 1407556

## SAMPLE INFORMATION

|                 |                                 |
|-----------------|---------------------------------|
| Description     | Raspberry Iced Tea 10mg         |
| Lot Number      | 042226-2HTW                     |
| Category (Type) | Non-Inhalable Edible (Beverage) |
| Received        | May 04, 2026                    |

## ANALYTICAL RESULTS

|               |                                              |
|---------------|----------------------------------------------|
| Analysis      | 1,1-Dichloroethene                           |
| Instrument    | Gas Chromatography Mass Spectrometry (GC/MS) |
| Method        | Headspace GC-MS                              |
| Analysis Date | May 04, 2026 to May 06, 2026                 |

| Analyte            | LOD / LOQ (ppm) | Findings (ppm) |
|--------------------|-----------------|----------------|
| 1,1-Dichloroethene | 2/4             | ND             |

Reported by  
**Anresco, Inc.**

NT = Not Tested  
ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation



Jordean Vargas  
Analyst III

May 06, 2026

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

Certificate of Analysis

Produced: May 06, 2026

Sample: Raspberry Iced Tea (Edible Liquid) • Client: Hop the Wave



Batch No.: 042226-2HTW  
Matrix: Edible Liquid  
Density: 1.00088 g/ml  
Sample ID: ICC-260504-04-002  
Collected on: May 04, 2026  
Received on: May 04, 2026  
Sample Size: 1 Units  
Package Size: 364.28 g

Tests Taken

Potency

Cannabinoid Overview

Total THC: 9.80 mg/pkg  
Total CBD: 0.000 mg/pkg  
Total Cannabinoids: 9.80 mg/pkg  
Sum of Cannabinoids: 9.80 mg/pkg

POT-INST-005: POT-INST-005: Potency • May 06, 2026 09:45:00 PDT

| Analyte | Amt (mg/pkg) | Amt (%) | Uncertainty | Amt (mg/ml) | LOD/LOQ (mg/ml)  | Pass/Fail | Analyte             | Amt (mg/pkg) | Amt (%)               | Uncertainty | Amt (mg/ml) | LOD/LOQ (mg/ml)  | Pass/Fail |
|---------|--------------|---------|-------------|-------------|------------------|-----------|---------------------|--------------|-----------------------|-------------|-------------|------------------|-----------|
| CBC     |              | ND      | N/A         | ND          | 0.00109/0.00328  | N/A       | CBT                 |              | ND                    | N/A         | ND          | 0.000474/0.00166 | N/A       |
| CBD     |              | ND      | N/A         | ND          | 0.000334/0.00166 | N/A       | Δ <sup>8</sup> -THC |              | ND                    | N/A         | ND          | 0.000268/0.00166 | N/A       |
| CBDA    |              | ND      | N/A         | ND          | 0.000800/0.00240 | N/A       | Δ <sup>9</sup> -THC | 9.80         | 0.00269 ± 0.0000281 % |             | 0.0269      | 0.000442/0.00166 | N/A       |
| CBDV    |              | ND      | N/A         | ND          | 0.000265/0.00166 | N/A       | THCA                |              | ND                    | N/A         | ND          | 0.000609/0.00182 | N/A       |
| CBG     | < 1 mg/ml    |         | N/A         | < LOQ       | 0.000377/0.00166 | N/A       | THCV                |              | ND                    | N/A         | ND          | 0.000205/0.00166 | N/A       |
| CBGA    |              | ND      | N/A         | ND          | 0.000590/0.00177 | N/A       | Total THC**         | 9.80         | 0.00269 ± 0.0000281 % |             | 0.0269      |                  | N/A       |
| CBL     |              | ND      | N/A         | ND          | 0.000261/0.00166 | N/A       | Total CBD**         |              | ND                    |             | ND          |                  | N/A       |
| CBN     |              | ND      | N/A         | ND          | 0.000377/0.00166 | N/A       | Total Cannabinoids* | 9.80         | 0.00269               |             | 0.0269      |                  | N/A       |

\* Beyond scope of accreditation  
\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)  
\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)  
\*\* Total CBD = CBD + (CBDA x 0.877)  
NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



*Signature of David Marelius*

*Signature of Erik Paulson*

## Certificate of Analysis

Produced: May 07, 2026

Sample: Raspberry Iced Tea (Edible Liquid) • Client: Hop the Wave • Batch: Pass



Batch No.: 042226-2HTW

Matrix: Edible Liquid

Sample ID: ICC-260504-04-001

Collected on: May 04, 2026

Received on: May 04, 2026

Sample Size: 1 Units

Batch Result: Pass

|            |      |
|------------|------|
| Solvents   | Pass |
| Metals     | Pass |
| Microbial  | Pass |
| Pesticides | Pass |
| Foreign    | Pass |

infinite**CAL**

## RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • May 07, 2026 14:19:00 PDT

| Analyte            | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|-------------|----------------|-----------|--------------------|--------------|------------|-------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | N/A         | 0.169/0.514    | Pass      | Hexane             | 290          | ND         | N/A         | 0.0667/0.284   | Pass      |
| Acetone            | 5000         | ND         | N/A         | 17.3/51.8      | Pass      | Isopropyl alcohol  | 5000         | ND         | N/A         | 1.29/3.88      | Pass      |
| Acetonitrile       | 410          | ND         | N/A         | 0.121/0.363    | Pass      | Methanol           | 3000         | ND         | N/A         | 3.00/9.01      | Pass      |
| Benzene            | 1            | ND         | N/A         | 0.0212/0.0645  | Pass      | Methylene chloride | 1            | ND         | N/A         | 0.128/0.736    | Pass      |
| Butane             | 5000         | ND         | N/A         | 0.981/4.90     | Pass      | Pentane            | 5000         | ND         | N/A         | 0.972/4.31     | Pass      |
| Chloroform         | 1            | ND         | N/A         | 0.0364/0.109   | Pass      | Propane            | 5000         | ND         | N/A         | 4.48/13.4      | Pass      |
| Ethanol            | 5006.03      | 405        | ± 6.03 µg/g | 2.64/7.92      | Pass      | Toluene            | 890          | < LOQ      | N/A         | 0.0889/0.873   | Pass      |
| Ethyl acetate      | 5000         | ND         | N/A         | 0.316/2.31     | Pass      | Trichloroethylene  | 1            | ND         | N/A         | 0.0182/0.146   | Pass      |
| Ethylene oxide     | 1            | ND         | N/A         | 0.155/0.585    | Pass      | o-Xylene           |              | ND         | N/A         | 0.102/0.866    | N/A       |
| Ethyl ether        | 5000         | ND         | N/A         | 1.20/3.58      | Pass      | p- and m-Xylene    |              | ND         | N/A         | 0.117/1.73     | N/A       |
| Heptane            | 5000         | ND         | N/A         | 0.694/2.89     | Pass      | Total xylenes      | 2170         | ND         |             | 0.102/0.867    | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



Page 1 of 3

Results Certified By: David Marelius PhD  
CSO, Infinite Chemical Analysis Labs, CA  
May 07, 2026Results Certified By: Erik Paulson PhD  
Lab Director, Infinite Chemical Analysis Labs, CA  
May 07, 2026[https://lims.tagleaf.com/coa\\_/KtK1Ty95r7](https://lims.tagleaf.com/coa_/KtK1Ty95r7)

## HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • May 06, 2026 15:41:00 PDT

| Analyte | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-------------|-----------------|-----------|---------|--------------|------------|-------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | N/A         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | ND         | N/A         | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | N/A         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | N/A         | 0.00500/0.0140  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## MICR-002: MICR-002: Petrifilm-Aerobic • May 06, 2026 19:21:00 PDT

| Analyte          | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|------------------|---------------|-------------|-----------|
| Aerobic Bacteria | 10000         | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

## MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • May 06, 2026 19:49:00 PDT

| Analyte         | Limit             | Amt | Pass/Fail | Analyte                       | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      | Shiga toxin-producing E. coli | Any amt in 1 gram | ND  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## Petrifilm-Listeria • May 07, 2026 12:23:00 PDT

| Analyte        | Limit | Amt | Pass/Fail |
|----------------|-------|-----|-----------|
| Listeria spp.* |       | ND  | N/A       |

\* Beyond scope of accreditation

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## MICR-002: MICR-002: Petrifilm-Salmonella • May 07, 2026 17:30:00 PDT

| Analyte         | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## Petrifilm-E. Coli • May 07, 2026 18:21:00 PDT

| Analyte          | Limit | Amt | Pass/Fail |
|------------------|-------|-----|-----------|
| Escherichia coli |       | ND  | N/A       |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

## MICR-002: MICR-002: Petrifilm-Coliforms • May 07, 2026 18:22:00 PDT

| Analyte   | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|-----------|---------------|-------------|-----------|
| Coliforms | 100           | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

## MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • May 07, 2026 18:24:00 PDT

| Analyte      | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|--------------|---------------|-------------|-----------|
| Yeast & Mold | 1000          | 10.0        | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

## PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • May 07, 2026 16:41:00 PDT

| Analyte      | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|-------------|----------------|-----------|-------------------------|--------------|------------|-------------|----------------|-----------|
| Captan       | 5            | ND         | N/A         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | N/A         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | N/A         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | N/A         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | N/A         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | N/A         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | N/A         | 0.0186/0.0558  | Pass      |                         |              |            |             |                |           |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



*DM*

*Erik Paulson*

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • May 07, 2026 14:39:00 PDT**

| Analyte             | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | Uncertainty | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|-------------|----------------|-----------|-------------------------|--------------|------------|-------------|----------------|-----------|
| Abamectin           | 0.3          | ND         | N/A         | 0.0500/0.100   | Pass      | Methiocarb              | Any amt      | ND         | N/A         | 0.0156/0.0473  | Pass      |
| Abamectin Ba        |              | ND         | N/A         | 0.0330/0.0990  | N/A       | Methomyl                | 0.1          | ND         | N/A         | 0.0158/0.0479  | Pass      |
| Acephate            | 5            | ND         | N/A         | 0.0164/0.0497  | Pass      | Mevinphos               | Any amt      | ND         | N/A         | 0.0139/0.0423  | Pass      |
| Acequinocyl         | 4            | ND         | N/A         | 0.0194/0.0587  | Pass      | Myclobutanil            | 9            | ND         | N/A         | 0.0180/0.0546  | Pass      |
| Acetamiprid         | 5            | ND         | N/A         | 0.0146/0.0442  | Pass      | Naled                   | 0.5          | ND         | N/A         | 0.0170/0.0514  | Pass      |
| Aldicarb            | Any amt      | ND         | N/A         | 0.0216/0.0654  | Pass      | Oxamyl                  | 0.2          | ND         | N/A         | 0.0153/0.0465  | Pass      |
| Azoxystrobin        | 40           | ND         | N/A         | 0.00960/0.0291 | Pass      | Paclobutrazol           | Any amt      | ND         | N/A         | 0.0132/0.0400  | Pass      |
| Bifenazate          | 5            | ND         | N/A         | 0.0115/0.0349  | Pass      | Permethrin              | 20           | ND         | N/A         | 0.00831/0.0300 | Pass      |
| Bifenthrin          | 0.5          | ND         | N/A         | 0.0130/0.0395  | Pass      | Permethrin cis          |              | ND         | N/A         | 0.0200/0.0300  | N/A       |
| Boscalid            | 10           | ND         | N/A         | 0.0197/0.0596  | Pass      | Permethrin trans        |              | ND         | N/A         | 0.0200/0.0300  | N/A       |
| Carbaryl            | 0.5          | ND         | N/A         | 0.0160/0.0486  | Pass      | Phosmet                 | 0.2          | ND         | N/A         | 0.0125/0.0377  | Pass      |
| Carbofuran          | Any amt      | ND         | N/A         | 0.00902/0.0300 | Pass      | Piperonylbutoxide       | 8            | ND         | N/A         | 0.00759/0.0300 | Pass      |
| Chlorantraniliprole | 40           | ND         | N/A         | 0.0209/0.0632  | Pass      | Prallethrin             | 0.4          | ND         | N/A         | 0.0226/0.0685  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | N/A         | 0.0176/0.0534  | Pass      | Propiconazole           | 20           | ND         | N/A         | 0.0195/0.0590  | Pass      |
| Clofentezine        | 0.5          | ND         | N/A         | 0.0129/0.0389  | Pass      | Propoxur                | Any amt      | ND         | N/A         | 0.0155/0.0471  | Pass      |
| Coumaphos           | Any amt      | ND         | N/A         | 0.0185/0.0559  | Pass      | Pyrethrins              | 1            | ND         | N/A         | 0.00431/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | N/A         | 0.0261/0.0791  | Pass      | Pyrethrins Cinerin I    |              | ND         | N/A         | N/A            | N/A       |
| Diazinon            | 0.2          | ND         | N/A         | 0.00645/0.0300 | Pass      | Pyrethrins Cinerin II   |              | ND         | N/A         | N/A            | N/A       |
| Dichlorvos          | Any amt      | ND         | N/A         | 0.0223/0.0674  | Pass      | Pyrethrins Jasmolin I   |              | ND         | N/A         | N/A            | N/A       |
| Dimethoate          | Any amt      | ND         | N/A         | 0.0118/0.0356  | Pass      | Pyrethrins Jasmolin II  |              | ND         | N/A         | N/A            | N/A       |
| Dimethomorph        | 20           | ND         | N/A         | 0.0137/0.0416  | Pass      | Pyrethrins Pyrethrin I  |              | ND         | N/A         | 0.0100/0.0450  | N/A       |
| Ethoprophos         | Any amt      | ND         | N/A         | 0.0174/0.0528  | Pass      | Pyrethrins Pyrethrin II |              | ND         | N/A         | 0.0100/0.0300  | N/A       |
| Etofenprox          | Any amt      | ND         | N/A         | 0.00849/0.0300 | Pass      | Pyridaben               | 3            | ND         | N/A         | 0.0115/0.0350  | Pass      |
| Etoazole            | 1.5          | ND         | N/A         | 0.00783/0.0300 | Pass      | Spinetoram              | 3            | ND         | N/A         | 0.00639/0.0300 | Pass      |
| Fenhexamid          | 10           | ND         | N/A         | 0.0129/0.0392  | Pass      | Spinetoram J            |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Fenoxycarb          | Any amt      | ND         | N/A         | 0.0144/0.0435  | Pass      | Spinetoram L            |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Fenpyroximate       | 2            | ND         | N/A         | 0.00972/0.0300 | Pass      | Spinosad                | 3            | ND         | N/A         | 0.00410/0.0300 | Pass      |
| Fipronil            | Any amt      | ND         | N/A         | 0.0148/0.0447  | Pass      | Spinosad A              |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Flonicamid          | 2            | ND         | N/A         | 0.0268/0.0811  | Pass      | Spinosad D              |              | ND         | N/A         | 0.00500/0.0100 | N/A       |
| Fludioxonil         | 30           | ND         | N/A         | 0.0153/0.0464  | Pass      | Spiromesifen            | 12           | ND         | N/A         | 0.0137/0.0416  | Pass      |
| Hexythiazox         | 2            | ND         | N/A         | 0.0257/0.0778  | Pass      | Spirotetramat           | 13           | ND         | N/A         | 0.0134/0.0407  | Pass      |
| Imazalil            | Any amt      | ND         | N/A         | 0.0156/0.0474  | Pass      | Spiroxamine             | Any amt      | ND         | N/A         | 0.0106/0.0320  | Pass      |
| Imidacloprid        | 3            | ND         | N/A         | 0.0235/0.0711  | Pass      | Tebuconazole            | 2            | ND         | N/A         | 0.0144/0.0437  | Pass      |
| Kresoxim-methyl     | 1            | ND         | N/A         | 0.0125/0.0379  | Pass      | Thiacloprid             | Any amt      | ND         | N/A         | 0.0139/0.0421  | Pass      |
| Malathion           | 5            | ND         | N/A         | 0.0117/0.0354  | Pass      | Thiamethoxam            | 4.5          | ND         | N/A         | 0.0181/0.0549  | Pass      |
| Metaxyl             | 15           | ND         | N/A         | 0.0101/0.0306  | Pass      | Trifloxystrobin         | 30           | ND         | N/A         | 0.0102/0.0310  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

**Accreditations**



**PJLA Accredited**

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS / PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS**

Abamectin, Abamectin Ba, Acephate, Acequinocyl, Acetamiprid, Aldicarb, Azoxystrobin, Bifenazate, Bifenthrin, Boscalid, Captan, Carbaryl, Carbofuran, Chlorantraniliprole, Chlordane, Chlorfenapyr, Chlorpyrifos, Clofentezine, Coumaphos, Cyfluthrin, Cypermethrin, Daminozide, Diazinon, Dichlorvos, Dimethoate, Dimethomorph, Ethoprophos, Etofenprox, Etoazole, Fenhexamid, Fenoxycarb, Fenpyroximate, Fipronil, Flonicamid, Fludioxonil, Hexythiazox, Imazalil, Imidacloprid, Kresoxim-methyl, MGK-264 I, MGK-264 II, Malathion, Metalaxyl, Methiocarb, Methomyl, Methyl parathion, Mevinphos, Myclobutanil, Naled, Oxamyl, Paclobutrazol, Pentachloronitrobenzene, Permethrin, Permethrin cis, Permethrin trans, Phosmet, Piperonylbutoxide, Prallethrin, Propiconazole, Propoxur, Pyrethrins, Pyrethrins Cinerin I, Pyrethrins Cinerin II, Pyrethrins Jasmolin I, Pyrethrins Jasmolin II, Pyrethrins Pyrethrin I, Pyrethrins Pyrethrin II, Pyridaben, Quintozene, Spinetoram, Spinetoram J, Spinetoram L, Spinosad, Spinosad A, Spinosad D, Spiromesifen, Spirotetramat, Spiroxamine, Spiroxamine A, Spiroxamine B, Tebuconazole, Thiacloprid, Thiamethoxam, Trifloxystrobin, alpha-Chlordane, gamma-Chlordane

**RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS**

1,2-Dichloroethane, 2-Propanol, Acetone, Acetonitrile, Benzene, Butane, Chloroform, Dichloromethane, Ethanol, Ethyl acetate, Ethyl ether, Ethylene oxide, Heptane, Hexane, Isopropyl alcohol, Methanol, Methylene chloride, Pentane, Propane, Toluene, Total xylenes, Trichloroethene, Trichloroethylene, m-Xylene, o- and p-Xylene, o-Xylene, p- and m-Xylene, p-Xylene

**MICR-002: MICR-002: Petrifilm-Aerobic / MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) / Petrifilm-Listeria / MICR-002: MICR-002: Petrifilm-Salmonella / Petrifilm-E. Coli / MICR-002: MICR-002: Petrifilm-Coliforms / MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold**

Aerobic Bacteria, Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, Aspergillus terreus, Coliforms, Escherichia coli, Salmonella spp., Shiga toxin-producing E. coli, Total Plate Count, Yeast & Mold

**FOREIGN-001: FOREIGN-001: Filth and Foreign Material**

Cinders, Dirt, Foreign Matter, Imbedded Foreign Material, Insect Fragments, Insect Fragments, Hair, Mammal Excrement, Mammal Excrement, Mold, Rodent Hair, Sand, Sand, Soil, Cinders, Dirt, Soil

**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS**

Arsenic, Cadmium, Lead, Mercury



*DM*

*Erik Paulson*